

AD-A251 685



RL-TR-91-425  
Final Technical Report  
December 1991



2

# ELECTRON CAPTURE KINETICS

Boston College

David L. McFadden


DTIC  
ELECTE  
JUN 19 1992  
S B D

*APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.*

92-15890



Rome Laboratory  
Air Force Systems Command  
Griffiss Air Force Base, NY 13441-5700



This report has been reviewed by the Rome Laboratory Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS). At NTIS it will be releasable to the general public, including foreign nations.

RL-TR-91-425 has been reviewed and is approved for publication.

APPROVED:



KEITH D. TROTT  
Acting, Division Chief  
Applied Electromagnetics Division

FOR THE COMMANDER:



JOHN K. SCHINDLER  
Director  
Electromagnetic Directorate

If your address has changed or if you wish to be removed from the Rome Laboratory mailing list, or if the addressee is no longer employed by your organization, please notify RL( ERCT ) Hanscom AFB MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document require that it be returned.

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE December 1991		3. REPORT TYPE AND DATES COVERED Final Sep 88 - Jul 89	
4. TITLE AND SUBTITLE ELECTRON CAPTURE KINETICS				5. FUNDING NUMBERS C - F30602-88-D-0025 PE - 63311F PR - 6331 TA - 00 WU - P1	
6. AUTHOR(S) David L. McFadden					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Boston College Geophysics Lab Chestnut Hill MA 02167				8. PERFORMING ORGANIZATION REPORT NUMBER  N/A	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Rome Laboratory (ERCT) Hanscom AFB MA 01731-5000				10. SPONSORING/MONITORING AGENCY REPORT NUMBER  RL-TR-91-425	
11. SUPPLEMENTARY NOTES Rome Laboratory Project Engineer: Mark K. Hinders, 1/Lt, USAF/ERCT/(617)377-4663.					
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution unlimited.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  In this report we discuss experiments designed to measure electron cyclotron resonance detention of electrons, for candidate molecules not requiring synthetic preparation. We also developed techniques for preparation of new candidate species, and measured rate constants for electron attachment to these species, and identified negative species produced by electron attachment.					
14. SUBJECT TERMS  Plasma, Electron Attachment, Electron Cyclotron Resonance				15. NUMBER OF PAGES 8	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL		

<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



#### OTHER PARTICIPANTS AND TITLES:

Robert G. Levy, graduate student research assistant.

Cheng-ping Tsai, graduate student research assistant.

#### A. TECHNICAL PROGRESS ACHIEVED ON EFFORT:

A new discharge flow apparatus was designed, constructed and installed in the Electron Cyclotron Resonance (ECR) apparatus. Several modifications of the previous design included: 1) Enlargement of the access collats on the ECR cavity to accommodate a 3.5 cm diameter flow tube; 2) Provision for movement of the electromagnet and cavity over a distance of 70 cm to facilitate direct measurement of the ambipolar diffusion coefficient; 3) Addition of 5 reactant inlets, each with a mixing chamber and multiple inlet openings over the entire circumference of the flow tube; 4) Addition of permanent electrodes for the purpose of plasma velocity measurements; 5) Addition of gas handling manifold for switching reactant gases among the five reactant inlets.

Experiments related to electron capture kinetics included first the determination of conditions where ambipolar diffusion obtained. Previous workers in the field have operated with considerably larger diameter flow tubes (8 cm) and much lower pressures (0.5 Torr). The maximum diameter that the ECR cavity can accommodate is 3.5 cm, thus higher pressures must be used to slow down the diffusion to the wall. Diffusion was thoroughly investigated, and the conditions for ambipolar diffusion determined. It is necessary to measure the diffusion coefficient in each kinetics experiment for the data analysis. Rate constants for  $\text{SF}_6$  were measured as a check of the new apparatus and the procedures. At present the values being obtained are close but a bit low compared to values taken from the literature

Absolute rate constants for electron attachment reactions of  $\text{CF}_3\text{Mn}(\text{CO})_5$ ,  $\text{CF}_3\text{Co}(\text{CO})_4$  and  $\text{C}_2\text{F}_5\text{Co}(\text{CO})_4$  have been measured in a gas flow system with electron cyclotron resonance (ECR) detection. Free electrons were generated by Penning ionization of Argon gas by Helium metastables produced in a low power radio-frequency discharge. The pressure was 2.3-2.5 Torr. The rate constants at 293 K in units of  $\text{cm}^3 \text{ molecule}^{-1} \text{ s}^{-1}$  are  $(3.5 \pm 0.6) \times 10^{-7}$  for  $\text{CF}_3\text{Mn}(\text{CO})_5$ ;  $(2.0 \pm 0.4) \times 10^{-7}$  for  $\text{CF}_3\text{Co}(\text{CO})_4$ ; and  $(1.8 \pm 0.3) \times 10^{-7}$  for  $\text{C}_2\text{F}_5\text{Co}(\text{CO})_4$ . Negative ion mass spectra indicate that nondissociative attachment is important at thermal electron energy. The cross section for non-dissociative capture falls rapidly with increasing electron energy. Dissociative product channels are also observed. Electron capture rate constants for several additional molecules are presented and compared with values from the literature. The rate constants in units of  $\text{cm}^3 \text{ molecule}^{-1} \text{ s}^{-1}$  are  $2.8 \times 10^{-7}$  for  $\text{SF}_6$ ;  $3.7 \times 10^{-7}$  for  $\text{CCl}_4$ ;  $3.1 \times 10^{-7}$  for  $\text{CFCl}_3$ ;  $1.8 \times 10^{-9}$  for  $\text{CF}_2\text{Cl}_2$ ;  $1.5 \times 10^{-8}$  for  $\text{CF}_3\text{Br}$ ;  $3.8 \times 10^{-9}$  for  $\text{CHCl}_3$ ; and  $1.2 \times 10^{-8}$  for  $\text{C}_2\text{F}_3\text{Cl}_3$ .

Low pressure flames in conjunction with the electron cyclotron resonance method of detection for electrons was investigated to study the kinetics of electron attachment at very high temperatures ( $>2000 \text{ C}$ ) in a combustion system. A low pressure flame apparatus that can be installed inside the room temperature cavity of the ECR apparatus was designed, constructed, and tested. A low pressure flame of acetylene and oxygen at a pressure between 20 and 40 Torr was successfully established. This flame produces a relatively large concentration of electrons by a chemiionization mechanism. Initial studies of electron attachment of  $\text{SF}_6$ ,  $\text{CH}_3\text{Br}$ , and  $\text{CF}_3\text{Br}$  were conducted.  $\text{SF}_6$  was found to be the most effective in the flame, though the results must be considered preliminary.

B. TRAVEL: None

#### C. PRESENTATIONS AND PUBLICATIONS:

Electron Attachment Reactions of Perfluoroalkyl Transition Metal Carbonyls: Rate Constants and Product Analysis, Christopher J. Marotta, Cheng-ping Tsai and David L. McFadden, J. Chem. Phys. (in press, August 15, 1989 issue).

#### D. LEVEL OF EFFORT BY EACH CONTRIBUTOR (IN MAN-MONTHS OR MAN-HOURS):

David L. McFadden, P. I., 100%, 1 month, \$4333.

Robert G. Levy, grad. research asst., 100%, 6 months, \$5280.

Cheng-ping Tsai, grad. research asst., 100%, 6 months, \$4500.

**MISSION  
OF  
ROME LABORATORY**

Rome Laboratory plans and executes an interdisciplinary program in research, development, test, and technology transition in support of Air Force Command, Control, Communications and Intelligence (C<sup>3</sup>I) activities for all Air Force platforms. It also executes selected acquisition programs in several areas of expertise. Technical and engineering support within areas of competence is provided to ESD Program Offices (POs) and other ESD elements to perform effective acquisition of C<sup>3</sup>I systems. In addition, Rome Laboratory's technology supports other AFSC Product Divisions, the Air Force user community, and other DOD and non-DOD agencies. Rome Laboratory maintains technical competence and research programs in areas including, but not limited to, communications, command and control, battle management, intelligence information processing, computational sciences and software producibility, wide area surveillance/sensors, signal processing, solid state sciences, photonics, electromagnetic technology, superconductivity, and electronic reliability/maintainability and testability.